


Advancements and Challenges of Artificial Intelligence in Healthcare and Medicine: An Overview

Abstract

Artificial intelligence (AI) has the potential to significantly transform medicine and enhance the experiences of patients and physicians alike. The distance between research and deployment has been shortened by promising studies and developments in medical image processing. Eventually, authors discuss significant ethical and technological difficulties ranging from racial bias to data shortage. AI may reach its full potential as these issues are resolved, making healthcare more accessible, effective, and precise for patients everywhere. However, among the excitement, there is equal scepticism, with some urging caution at inflated expectations. Conclusively, this overview provides new insights into establishing a strong platform to explore certain new facets in the area of healthcare and medicine. The rapid progression of AI technology presents an opportunity for its application in clinical practice, potentially revolutionizing healthcare services, though there are still concerns over research gaps and potential areas for further study in view of the regulation of AI in medicine and pivotal roles across the healthcare system, equally impacting patients, doctors, and researchers.

Key words: Artificial intelligence, graph neural networks, graph transformers, healthcare knowledge graphs, medicine, multimodal learning, transfer learning.

Graphical Abstract



INTRODUCTION

Artificial intelligence (AI) research within medicine is growing rapidly. In 2016, healthcare AI projects attracted more investment than AI projects within any other sector of the global economy. However, among the excitement, there is equal scepticism, with some urging caution at inflated expectations [1-3]. This article takes a close look at current trends in medical AI and the future possibilities for general practice. AI is set to significantly alter medicine in the years to come. Medical AI algorithms that can identify disease from medical images at the expert level have just recently been shown in groundbreaking ways [4–7]. The field of medical AI has significantly advanced. With the medical AI community navigating the intricate ethical, technological, and human-centered difficulties necessary for safe and successful translation, the integration of medical AI systems into ordinary clinical care now represents a significant but mainly unrealized possibility. This overview offers a compendious summary of the current state of medical AI by highlighting central advancements and broad inclination. The work that has been made over the last two years, during which it led to monitor and disseminate new progression in medical field. A recent transformation in science and technology is artificial intelligence (AI). Numerous human endeavors at all societal levels, principally, from people to social groups, businesses, and nations, are already impacted. Globally, artificial intelligence (AI) is growing rapidly in practically every industrial, economic, and social sector, including information technologies, manufacturing, commerce, space, remote sensing, security and defence, transportation, and automobiles. Since the turn of the century, AI has also been successfully progressive into the fields of medicine and health care. [8,9].

What is Medical Artificial Intelligence?

The core of evidence-based medicine is using historical data to inform clinical decision making. This task has traditionally been tackled by statistical methods, which describe patterns in data as mathematical equations. For instance, linear regression proposes a "line of best fit." AI offers methods for "machine learning" (ML), which reveals intricate relationships that are difficult to simplify into an equation. For instance, neural networks use a large number of interconnected neurons to represent data in a manner akin to that of the human brain.

This enables ML systems to tackle difficult problem solving in a manner similar to that of a clinician: by carefully evaluating the available data to arrive at logical conclusions. These systems can, however, concurrently examine and quickly process an almost infinite number of inputs, unlike a single clinician. For instance, 1.2 million individuals in North London are now competently triaged to Accident & Emergency (A & E) by an AI-driven smart phone app. [10] Example, These systems can be exposed to more cases in a matter of minutes than a doctor might view in many lifetimes since they can learn from each incremental case. This is why dermatologists cannot accurately diagnose worrisome skin lesions as well as an AI-driven program can, [11] or why AI is being trusted with tasks where professionals frequently disagree, such detecting pulmonary tuberculosis on chest radiographs [12]. Numerous factors contribute to the rapid and potent evolution of AI. These include the availability of robust and reasonably priced computing (processing) tools, hardware (such as graphics processing units), software, and applications-even in consumer-grade personal computers and mobile devices-and large (big) data sets with a wide variety of information types and formats, both in online and cloud platforms and produced in real time by wearable technology and the internet of things (IoT); the growth of open source coding resources and online communities of practitioners and users exchanging resources, know-how, and experience; and the integration of computer processing with other technologies like photonics (the fusion of applied optics and electronics) and human-machine interfaces.

Recent Advancements in the Application of AI Algorithms in Medicine

Relatively few AI tools have been implemented in medical practice, despite the fact that AI systems have been repeatedly demonstrated to be effective in a wide range of retrospective medical studies [13]. Critics point out that AI system may not be as beneficial in practice as historical data would indicate [14]. They may be too complex or slow to be effective in actual medical settings [15]; or unanticipated issues may occur from the interactions between humans and AI is [16]. Furthermore, retrospective *in silico* datasets are subjected to a

rigorous cleaning and filtering process, which may reduce their representativeness of actual medical practice. Prospective studies and randomized controlled trials (RCTs) can close this knowledge gap between theory and practice by more thoroughly proving that AI models can produce measurable, beneficial results when used in real-world settings and health setting. Recently, the applicability of AI systems in healthcare has recently been examined using RCTs. The usefulness of AI has been evaluated using a range of additional measures in addition to accuracy, offering a comprehensive picture of its influence on medical systems [17-21]. An RCT assessing an AI system, for instance, for Monitoring insulin dosages allowed researchers to determine how much time patients spent. Research that assessed a monitoring system for intra-operative hypo-tension measured the average length of hypo-tension episodes [22]. Within the target glucose range [23], while a system that identified instances of the reduction of turnaround time [24] was used to evaluate cerebral bleeding for human review. Current recommendations, like AI-specific future recommendations like STARD-AI and updates to the SPIRIT and CONSORT guidelines could aid in standardizing medical AI reporting, including clinical trials protocols and results, making it easier for the community to share findings and rigorously investigate the usefulness of medical AI [25-26].

Certain AI systems have advanced from testing to deployment in recent years, gaining administrative backing and overcoming regulatory obstacles. By permitting funding for the use of two particular AI systems for medical picture diagnosis [27] at the Centers for Medicare and Medicaid Services, which authorizes public insurance reimbursement expenses, has promoted the application of AI in clinical settings. In addition, a 2020 study discovered that the US Food and Drug Administration (FDA) is rapidly approving AI products, especially those that use machine learning (ML), a subset of AI [28]. These developments mostly come in the form of FDA clearances, which set a lower regulatory threshold for goods than full-fledged approvals but nonetheless pave the way for the application of AI/ML systems in actual clinical settings. It is important to point out that the datasets used for these regulatory clearances are often made up of retrospective, single-institution data that are mostly unpublished and considered proprietary. To build trust in medical AI systems, stronger standards for reporting transparency and validation will be required, including demonstrations of impact on clinical outcomes.

Deep Learning for Interpretation of Medical Images

Recent years have seen a notable advancement in image categorization thanks to deep learning, which uses neural networks to directly identify patterns in raw data. Medical AI research has so flourished in fields like radiology, pathology, gastrointestinal, and ophthalmology that mostly rely on image interpretation. In the field of ophthalmology, deep learning models have been used extensively, leading to significant advancements in deployment [29-33; **Figure 1**]. Studies have examined the human impact of such models on health systems in addition to measuring model performance.

For instance, one study used human observation and interviews to investigate the effects of an AI system for screening for eye diseases on patient experience and medical processes. Other research has examined the financial effects of AI in the field of ophthalmology and discovered that, in certain situations, such as the diagnosis of diabetic retinopathy, semi-automated or fully automated AI screening [34] may result in cost savings.




Figure 1: AI using Medical Imaging

Opportunities for Development of AI Algorithms

Studies on medical AI frequently follow a similar pattern: they start with an image classification problem, train an AI system using supervised learning on labelled data, and then assess the system by contrasting it with human specialists. Even though these studies have made significant strides, we provide three more exciting research directions that deviate from this pattern. We start by discussing non-image data sources that can yield valuable medical insights, like text, chemical, and genetic sequences. Second, we talk about problem formulations that go beyond supervised learning, using paradigms like unsupervised or semi-supervised learning to extract insights from unlabeled or otherwise defective data. Lastly, we

examine AI systems that work alongside people rather than against them, as this is a way to improve performance than either AI or humans alone.

AI Configurations Outside of Supervised Learning

Apart from utilizing new data sources, current research has experimented with non-traditional issue formulations. Traditionally, models like as neural networks are used to learn functions mapping from inputs to labels, and datasets are created using actual data to generate inputs and labels. However, datasets with accurate inputs and labels are typically hard to come by and are commonly reused across numerous researches due to the time-consuming and costly nature of labelling. To address issues where data are unlabeled or otherwise noisy, additional paradigms have been employed, such as unsupervised learning (more especially, self-supervised learning), semi-supervised learning, causal inference, and reinforcement learning. By improving current technology and expanding our knowledge of diseases, these developments have pushed the limits of medical AI. Instead of being restricted to pre-existing labels, as in the supervised paradigm [34-39] unsupervised learning—learning from data without any labels—has yielded useful discoveries by enabling models to discover new patterns and categories. For instance, clustering algorithms, which group similar unlabelled data points together to organize them, have been used to identify clinically significant patient subgroups for illnesses like endometriosis, breast cancer, and sepsis [40]. These classifications may eventually aid in the diagnosis, prognosis, and therapy of diseases by exposing new patterns in their appearance [41].

Opportunities for Development of AI Algorithms

Medical AI research frequently follows a well-known pattern: it starts with an image classification problem, trains an AI system using supervised learning on labelled data, and then assesses the system by comparing it to human experts [Figure 2]. Despite the notable advancements made in these studies, we provide three more exciting research directions that deviate from the norm. We start by talking about non-image data sources that can offer valuable medical insights, like text, chemical, and genetic sequences. Secondly, we go over problem formulations that go beyond supervised learning, using paradigms like unsupervised or semi-supervised learning to extract insights from unlabeled or otherwise defective data [Figure 2]. In order to improve performance, we lastly examine AI technologies that work alongside people rather than against them than either AI or humans alone [41,42].




Figure 2: AI Opportunities, Progress, Challenges

Data on Health beyond Pictures

Deep learning models are capable of learning from a wide range of input data, including text, numbers, and even mixtures of different input types, going beyond image classification.

Numerous rich data sources, including natural language, genetic information, medical signals like electroencephalogram (EEG) data, and multi-modal data, have been incorporated into recent studies. An overview of applications utilizing various data sources is shown below.

Recent developments in biochemistry have been made possible by AI, leading to a better knowledge of the composition and behaviour of biomolecules 33-36. Senior et al.'s work on Alpha Fold marked a breakthrough in the crucial process of protein folding that entails predicting a protein's three-dimensional structure based on its chemical sequence. Protein structure prediction advances can offer mechanistic understanding of a variety of phenomena, including drug-protein interactions and the consequences of mutations [42]. Additionally, Alley and colleagues made significant progress in the field of protein analysis by developing statistical summaries that capture important protein characteristics and support learning by neural networks using fewer data 34. Instead of utilizing raw chemicals, such summaries sequences, models for jobs that come after, such as molecular function may use a lot less labelled data and yet achieve good performance. Despite the challenges, AI has also advanced the area of genetics. Modelling 3D genomic connections is difficult. When utilized circulating cell-free DNA data, AI has made non-invasive cancer identification, prognosis,

and tumour origin 37-39. By predicting guide-RNA activity and identifying anti-CRISPR protein families, deep learning has improved CRISPR-based gene editing efforts [40,41]. Furthermore, the rapid identification of antibiotic resistance in pathogens has been achieved by AI-based analysis of microbial transcriptomic and genomic data. Physicians may now quickly choose the best courses of action, which could lower mortality and avoid the needless use of broad-spectrum antibiotics [42].

Moreover, AI is already starting to speed up the drug discovery process. It has been demonstrated that deep learning models for molecular analysis speed up the process of finding new medications by eliminating the need for slower, more expensive physical experiments. Predicting pertinent physical characteristics like the toxicity or bioactivity of possible medications has been made easier with the help of such models.

One study used AI to identify a drug that was subsequently proven to be effective at fighting antibiotic-resistant bacteria in experimental models [42]. Another drug designed by AI was shown to inhibit DDR1 (a receptor implicated in several diseases, including fibrosis) in experimental models; remarkably, it was discovered in only 21 days and experimentally tested in 46 days, dramatically accelerating a process that usually takes several years [43]. Importantly, deep learning models can select effective molecules that differ from existing drugs in clinically meaningful ways, thereby opening novel pathways for treatment and providing new tools in the fight against drug-resistant pathogens. Large medical text datasets are readily available for use in healthcare-related natural language processing tasks. Recent studies have taken advantage of these datasets by utilizing technological advancements such as contextual word embedding and transformers, which assist models in taking surrounding context into account when interpreting individual textual elements.

BioBERT, a model trained on a vast corpus of medical texts, outperformed previous state-of-the-art results on natural language tasks such as responding to biomedical questions [44], according to one study. Tasks like automatically labelling radiological reports [45] and learning from biomedical literature which medications are known to interact with one another [46] have been improved by using such models.

It has also been possible to track broad changes in mental health by mining huge text databases from social media. Natural language processing advancements have so up a wealth of new datasets and AI opportunities, although major limitations still exist due to the difficulty of extracting information from long text sequences. Furthermore, results from medical signal data, including EEG electrocardiogram [47,48] and audio data, have been

predicted using machine learning techniques. For instance, brain activity, a predictor of eventual recovery, was detected using machine learning (ML) applied to EEG recordings from clinically non-responsive patients with brain injuries [58]. Furthermore, patients who have strokes and aphasia or locked-in syndrome may find great benefit from AI's direct conversion of brain waves into speech or text. Wearable sensors, like smart watches, which allow for remote health monitoring, can also be used to passively gather medical signal data outside of a clinical environment in the real world. For a multi-modal approach, certain deep learning models combine data from several sources. One model for diagnosing respiratory illnesses, for example, used patient accounts of their symptoms and audio recordings of their coughs as input. Multi-modal. Additionally, models have benefited from much more intricate inputs, like such as electronic health records, which contain a vast array of information such as laboratory findings, medicines, vital signs, and medical diagnoses [49,50]. These models are able to forecast using a variety of kinds of data, much as medical professionals in the real world depend on a variety of information when really making decisions. Despite its potential, this field of study appears to be neglected, partially because of the difficulties in uniformly collecting various forms of data across departments or organizations. However, authors anticipate observe a rise in the application of multi-modal models throughout time.

Impact of Artificial Intelligence on Healthcare

Artificial intelligence (AI) is the ability of a machine to detect patterns and relationships in data and use this knowledge effectively for decision-making [51]. AI is currently a driving force in many facets of life and is expected to change medical practices like consultation, examination, and prescription and make them affordable and efficient. Replications of expert judgment and prediction of prognosis using support vector machines, decision trees, artificial neural networks, and machine learning are widely used. Because imaging in diagnosis is at the forefront of the use of AI, screening and prediction techniques are being developed especially for glaucoma, cataracts, age-related macular degeneration, and diabetic retinopathy [52,53; **Figure 3**]. Advancements in computing and deep learning architectures enabled us to improve cancer detection, classification, drug discovery, and patient treatment outcome predictions [51]. Beyond histopathology images, other imaging like CT, MRI, mammography, fundus imaging, and even photographs can be used for diagnosis and prediction of prognosis [51]. Studies have shown that radiology, ophthalmology, cardiology, orthopaedics, and pathology AI anticipation in facilitating diagnosis and management, population-based surveillance, personalized care, reducing the burden of cost and work load,

and making predictions that can assist policymakers make plans[54-59; **Figure 3**]. Access to health services is a key human right. Addressing the primal issues of cost and professional insufficiency is indispensable. AI might offer a triage-style care approach that could give the majority of people the care that uses the fewest resources initially, and providing patients who require it the most with more extensive care. Machines are free from stress, distraction, and exhaustion. Incapable of being influenced by human impulses therapists, and as a result, might be more effective in treating patients. Smart devices and contemporary cell phones record a sizable dataset that can be utilized to diagnose illnesses, tracking, monitoring, promotion of health, and illness avoidance [**Figure 3**]. The goal of this overview is to provide a compendious of the AI's function in medical science, its state at the moment and its prospects as follows:

AI in Psychiatry

Clinical information about mental health is more individualized and quality. However, there are still many benefits for mental health from artificial intelligence [60]. Algorithms for machine learning have effectively separated patients in good health from those in with psychotic disorders with greater than 70% accuracy, as well as run pre-diagnostic tests and create risk models. To assess a person's potential for developing psychological disorder. [61,62]. EEG-based deep learning techniques are capable to determine depressed persons



Figure 3: AI impact in healthcare

with greater accuracy than 90% [63]. Psychotherapy tools such as Tess and others chatbots that use an interactive display to function [64]. The one that Patients might use Woebot to recognize their feelings, lessen anxiousness, as well as lessen symptoms of depression [65]. The Avatar treatment effectively raises medication compliance in schizophrenia, particularly those who are not responding to therapy schizophrenia and helps with depressed symptoms, hallucinations, and symptoms as well as general life satisfaction [66,67]. Children with autism spectrum condition have shown improvements in spontaneous language during therapy sessions, and socially robotic assistance was created to help them develop social skills. Compared to human therapists, children appear to perform better with their robot companions [68]. Patients with dementia, the elderly, and those suffering from depression can benefit from companion bots, which also aid to improve mood and social relationships while lowering stress, anxiety, and loneliness [69]. When compared to spoken presentations, text-based psycho-educational interactions result in reduced substance use and increased program adherence.

AI in Cancer Research

Machine learning was aided by the genomes, proteomics, histology, and radiology pictures found in cancer data pools such as Genome Atlas. On utilizing H and E-stained tissue to distinguish between cancer and healthy cells with good prediction accuracy, a comparable picture of skin lesions taken using a camera and a microscope Dermatologists did not perform as well as the model [69-71; **Figure 4**]. In forecasting gastric occult peritoneal metastases DNNs have a better AUC (0.92-0.94) for cancers. As contrast to employing pathological and clinical qualities[74]. Prostate cancer based on MRI differentiation revealed a cancer risk AUC of 0.84.27. Mammography results indicate a high degree of accuracy in instances verified by biopsy [71]. Studies revealed a rise in Mammograms' perfect specificity and sensitivity for detection of cancer in contrast to a typical radiograph. Zhou et al. developed a deep learning technique to predict the grade from liver cancer patient's MRI scans, and they reported an AUC of 0.83. Non-neural network-based methods have been used to predict drug characteristics and toxicity.AI has been used to stage lung nodules from computed tomography (CT) images, identify COVID-19 from chest X-rays, and classify thyroid tissue using ultrasound imaging. Convolutional neural networks have demonstrated high accuracy and precision of 93% and 67%, respectively, when utilized for the automated detection of liver cancers on CT scans [71; **Figure 4**].




Figure 4: AI in Cancer Research

AI in Cardiology

Although quantitative data collection for AF is a laborious, time-consuming, and error-prone procedure, cardiac magnetic resonance is a recent breakthrough [72]. DL approaches are very useful for image processing, segmentation, and reconstruction. Its increased accuracy and decreased processing time [72]. Electrocardiogram Signal information resembling that of wearable smart devices is utilized in order to obtain a 0.91 area under the ROC to determine It performed better than cardiologists in these rhythms. [79,80]. The one that Apple research assessed an irregular pulse's capacity to alerting system to detect atrial fibrillation, as well as a total of 34% of cases were clinically confirmed with a positive predictive value of 0.84.38 Rogers et al. analyzed 5796 intracardiac electrophysiological signals from 42 subjects with $LVEF \leq 40\%$ and selected the most relevant input features using LR and avoiding collinearities. Predicting the long-term efficacy of rhythm control strategies is a critical step in the clinical decision-making process for patients with AF. In the AADGEN study, the potential of different ML algorithms to monitor the initiation of Dofetilide was demonstrated

and predicted dosing decisions with 96.1% accuracy. Radio-frequency ablation can be evaluated using computational simulation AF with an average sensitivity and specificity of 82% and 89%, respectively, and an AUC of 0.82 to predict the recurrence risk of AF [73].

AI in Surgery

Every autonomous activity in surgery is based on every facet of artificial intelligence. Chang et al. have compiled collective data on AI applications in various spinal operations [74]. AI is being used more often as a result of the advancements in surgical automation. From partial functions like picture guidance to operations where no direct human involvement is needed, the surgeries have the potential to eventually become fully AI-based and autonomous [74]. One of the most well-known robotically assisted surgical systems is the Da Vinci Surgical System. Using a remote booth with technology to control the robot's arms, the surgical system enables the surgeons to perform surgery [75]. The majority of doctors typically accept this minimally invasive technique because of its accuracy. Artificial intelligence (AI)-driven internet or mobile platforms can be used to remotely perform surgery, even in spaceships or in areas affected by natural catastrophes or conflict [76]. AI is undoubtedly moving in the right direction, even though it doesn't appear to be directly involved in surgery because of certain aspects of human anatomy and the requirement for spontaneous decision-making.

AI in Intestinal Diseases

With an accuracy of almost 95%, ANNs trained on VCE pictures can detect small intestinal ulcerations and nonobstructive stenosis [77]. A method for AI-ulcer detection was created by Barash et al using more than 16,000 images from over 3000 UC patients, the [78]. MES model demonstrated exceptional AuROC, sensitivity, and specificity of 0.970, 0.83, and 0.96. [79]. Syed and colleagues conducted a new study in which they found that a convolutional neural network could analyse sets of duodenal samples and distinguish between celiac disease and both normal tissue and environmental enteropathy [80]. In a study employing 23 MREs in young CD patients, neural network segmentation of the lumen, bowel wall, and backdrop matched manually segmented bowel images in 75%, 81%, and 97% of the cases, respectively [80] with a 0.754 vs. 0.590 accuracy. Humans are more likely to perceive images incorrectly due to a variety of factors, including exposure, education, experience, weariness, distractions, a vast amount of visual data, and the image's physical quality [81].

Both normal tissue and environmental enteropathy [81]. In a study employing 23 MREs in young CD patients, neural network segmentation of the lumen, bowel wall, and backdrop

matched manually segmented bowel images in 75%, 81%, and 97% of the cases, respectively.79 with a 0.754 vs. 0.590 accuracy. Humans are more likely to perceive images incorrectly due to a variety of factors, including exposure, education, experience, weariness, distractions, a vast amount of visual data, and the image's physical quality both normal tissue and environmental enteropathy.

Health Professionals' Attitudes and Perceptions Towards AI

AI and human intellect are predicted to coexist in the field of medicine in the future . Therefore, we must regularly teach our healthcare practitioners to use, enhance, and improve AI in light of the evolving healthcare system. This should be confirmed by sufficient study in the area. AI is threatening the jobs of healthcare professionals. 83% of 791 psychiatrists surveyed said AI wouldn't be able to give compassionate care, and 3.8% said it would render their professions obsolete [82,83]. Similar to pathologists, who were open to AI and only 17.6% worried about their future job security, 89% of radiologists did not fear losing their jobs

According to neurosurgeons, AI is being used to forecast results [82]. AI can reduce the burden of work for health professionals, so physicians can focus on the interpersonal relationship with patients. In recent years researches published on topics connecting AI and medical fields are increasing exponentially

AI can enable healthcare systems to achieve their 'quadruple aim' by democratizing and standardizing a future of connected and AI augmented care, precision diagnostics, precision therapeutics and, ultimately, precision medicine. [82]. Research on the use of AI in healthcare is still progressing quickly, and potential applications are being shown in a variety of healthcare domain (physical and mental health), encompassing medication administration, disease diagnosis, prognosis, drug discovery, virtual clinical consultation, and health monitoring.

In the short, medium, and long terms, authors outline a limited set of AI applications in healthcare for the potential capabilities of AI to augment, automate and transform medicine:

AI Today and in the Near Future

Artificial intelligence cannot reason in the same manner as human doctors, who can rely on "clinical intuition and experience" or "common sense." This is because AI systems are not yet reasoning engines [83]. AI instead acts as a signal translator, interpreting patterns found in datasets. AI technologies are currently being used by healthcare organizations to automate

repetitive, time-consuming procedures with a high volume. The application of AI to precision diagnostics (such as diabetic retinopathy and radiation planning) has also advanced significantly.

AI in the Medium Term (the Next 5–10 Years)

We predict that significant advancements will be made in the medium term in the creation of powerful algorithms that are efficient (i.e., require less data to train), able to use unlabelled data, and able to combine disparate structured and unstructured data, such as imaging, electronic health, multi-omic, behavioural, and pharmacological data. Additionally, medical practices and healthcare organizations will move from merely adopting AI platforms to co-innovating with technology partners to create new AI systems for precision therapeutics [83].

AI in the long term (>10 years)

Long-term advancements in AI will allow AI healthcare systems to reach a state of precision medicine through connected care and AI-augmented healthcare [84,85]. The conventional one-size-fits-all approach to healthcare will give way to a preventative, individualized, data-driven disease management model that improves patient outcomes (better clinical and patient experiences of care) in a more economical delivery system.

Conclusion and Future Perspectives

Research in medical artificial intelligence frequently follows a similar pattern: it starts with an image classification problem, trains an AI system using supervised learning on labelled data, and then compares the system to human specialists for evaluation. Despite the notable advancements made in these studies, authors provide three more exciting research directions that deviate from the norm. Initially, there is a discussion on non-image data sources that can output worthy medical insights, including text, chemical, and genetic sequences. Secondly, using paradigms like unsupervised or semi-supervised learning, the problem is explored for developing formulations that go beyond supervised learning and extract insights from unlabeled or otherwise defective data. In order to get higher performance, we lastly examine AI technologies are precisely examined, likely to work alongside people rather than against them. Unconventional issue formulations have been tried in recent studies in addition to new data sources. In a traditional dataset, inputs and labels are extracted from actual data, and functions mapping inputs to labels are learned by models such as neural networks. However, datasets with precise inputs and labels are frequently hard to find and reused in several

studies due to the time-consuming and costly nature of labelling. Other paradigms have been employed to address issues where data are unlabeled or otherwise noisy, such as unsupervised learning (more especially, self-supervised learning), semi-supervised learning, causal inference, and reinforcement learning. These developments have improved current technology and expanded the understanding of disease, thus pro-pulsing the limits of medical AI. Unsupervised learning, or learning from data without labels, has yielded useful discoveries by enabling models to discover new categories and patterns instead of being constrained by pre-existing labels as in the supervised paradigm. Despite impressive advancements, there are still significant technical obstacles in the field of medical AI, especially when it comes to creating training datasets and gaining user trust in AI systems. The rapid progression of AI technology presents an opportunity for its application in clinical practice, potentially revolutionizing healthcare services, though there are still concerns over the regulation of AI in medicine as well as how it might change and add roles across the healthcare system, impacting patients, doctors, and researchers equally.

Acknowledgement

The authors are grateful to the Chairman Mr. Pawan Singh Chauhan, Vice Chairman Mr. Piyush Singh Chauhan and the Board of Directors of S.R. Institute of Management and Technology, Lucknow, U.P., India for providing the necessary facilities for accomplishing the present piece of work.

References

1. Chen JH, Asch SM. (2017). Machine learning and prediction in medicine-beyond the peak of inflated expectations. *N Eng J Med* 376(26): 2507–2509.
2. Mishra S, Tiwari AM. (2024). Current trends of artificial intelligence in biotechnology: An editorial. *Open Access Journal of Data Science & Artificial Intelligence* 2(1): 000112.
3. Ahmad M, Gupta P, Singh B, Tiwari AM, Mishra S. (2023). Biotechnology is a boon to mankind: Scenario in India. *Asian J Curr Res* 8 (2): 1-8.
4. Pinto-Coelho L (2023). How Artificial Intelligence Is Shaping Medical Imaging Technology: A Survey of Innovations and Applications. *Bioengineering (Basel)* 18; 10(12):1435.
5. Esteva A. et al. (2017). Dermatologist-level classification of skin cancer with deep neural networks. *Nature* 542: 115–118.
6. Rajpurkar P. et al. (2018). Deep learning for chest radiograph diagnosis: a retrospective comparison of the CheXNeXt algorithm to practicing radiologists. *PLoS Med* 15: e1002686 .

7. Hannun AY. et al. (2019). Cardiologist-level arrhythmia detection and classification in ambulatory electrocardiograms using a deep neural network. *Nat Med* 25: 65–69.
8. Medicine in the digital age. (2019). *Nature Medicine* 25: 1–1.
9. Alowais SA, Alghamdi SS, Alsuhebany N et al. (2023). Revolutionizing healthcare: the role of artificial intelligence in clinical practice. *BMC Medical Education* 23: 689.
10. Wiens J. et al. (2019). Do no harm: a roadmap for responsible machine learning for health care. *Nat Med* 25 1337–1340.
11. Kiani, A. et al. (2020). Impact of a deep learning assistant on the histopathologic classification of liver cancer. *NPJ Digit Med* 3: 23.
12. Wang P. et al. (2020). Effect of a deep-learning computer-aided detection system on adenoma detection during colonoscopy (CADE-DB trial): a double-blind randomised study. *Lancet Gastroenterol Hepatol* 5: 343–351.
13. Hollon TC. et al. (2020). Near real-time intraoperative brain tumor diagnosis using stimulated Raman histology and deep neural networks. *Nat Med* 26: 52–58.
14. Phillips M. et al. (2019). Assessment of accuracy of an artificial intelligence algorithm to detect melanoma in images of skin lesions. *JAMA Netw Open* 2: e1913436.
15. Nimri R. et al. (2020). Insulin dose optimization using an automated artificial intelligence-based decision support system in youths with type 1 diabetes. *Nat Med* 26: 1380–1384.
16. Wijnberge M. et al. (2020). Effect of a machine learning-derived early warning system for intraoperative hypotension vs. standard care on depth and duration of intraoperative hypotension during elective noncardiac surgery. *J Am Med Assoc* 323: 1052–1060.
17. Liu X. et al. (2020). Reporting guidelines for clinical trial reports for interventions involving artificial intelligence: the CONSORT-AI extension. *Br Med J* 370: m3164.
18. Benjamins S, Dhunoo P, Mesko B. (2020). The state of artificial intelligence-based FDA-approved medical devices and algorithms: an online database. *NPJ Digit Med* 3: 118.
19. Liu H. et al. (2019). Development and validation of a deep learning system to detect glaucomatous optic neuropathy using fundus photographs. *JAMA Ophthalmol* 137, 1353–1360.
20. Milea D. et al. (2020). Artificial intelligence to detect papilledema from ocular fundus photographs. *N Engl J Med* 382: 1687–1695.
21. Wolf RM, Channa R, Abramoff MD, Lehmann HP. (2020). Cost-effectiveness of autonomous point-of-care diabetic retinopathy screening for pediatric patients with diabetes. *JAMA Ophthalmol* 138: 1063–1069.
22. Xie Y. et al. (2020). Artificial intelligence for teleophthalmology-based diabetic retinopathy screening in a national programme: an economic analysis modelling study. *Lancet Digit Health* 2: e240–e249.
23. Arcadu F. et al. (2019). Deep learning algorithm predicts diabetic retinopathy progression in individual patients. *NPJ Digit Med* 2: 92 .
24. Senior AW. et al. (2020). Improved protein structure prediction using potentials from deep learning. *Nature* 577: 706–710.

25. Alley EC, Khimulya G, Biswas S, AlQuraishi M, Church GM. (2019). Unified rational protein engineering with sequence-based deep representation learning. *Nat Methods* 16: 1315–1322.
26. Gainza P. et al. (2020). Deciphering interaction fingerprints from protein molecular surfaces using geometric deep learning. *Nat Methods* 17: 184–192.
27. Greener JG. et al. (2019). Deep learning extends de novo protein modelling coverage of genomes using iteratively predicted structural constraints. *Nat Commun* 10: 3977.
28. Chabon JJ. et al. (2020). Integrating genomic features for non-invasive early lung cancer detection. *Nature* 580: 245–251.
29. Luo H. et al. (2020). Circulating tumor DNA methylation profiles enable early diagnosis, prognosis prediction, and screening for colorectal cancer. *Sci Transl Med* 12: eaax7533.
30. Cristiano S. et al. (2019). Genome-wide cell-free DNA fragmentation in patients with cancer. *Nature* 570: 385–389.
31. Gussow AB. et al. (2020). Machine-learning approach expands the repertoire of anti-CRISPR protein families. *Nat Commun* 11: 3784.
32. Wang D. et al. (2019). Optimized CRISPR guide RNA design for two high-fidelity Cas9 variants by deep learning. *Nat Commun* 10: 4284.
33. Smit A. et al. (2020). CheXbert: Combining automatic labelers and expert annotations for accurate radiology report labeling using BERT. *In: Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing* 1500–1519.
34. Sarker A, Gonzalez-Hernandez G, Ruan Y, Perrone J. (2019). Machine learning and natural language processing for geolocation-centric monitoring and characterization of opioid-related social media chatter. *JAMA Netw Open* 2: e1914672.
35. Claassen J. et al. (2019). Detection of brain activation in unresponsive patients with acute brain injury. *N Engl J Med* 380: 2497–2505.
36. Porumb M, Stranges S, Pescape A, Pecchia L. (2020). Precision medicine and artificial intelligence: a pilot study on deep learning for hypoglycemic events detection based on ECG. *Sci Rep* 10: 170.
37. Attia ZI. et al. (2019). An artificial intelligence-enabled ECG algorithm for the identification of patients with atrial fibrillation during sinus rhythm: a retrospective analysis of outcome prediction. *Lancet* 394, 861–867.
38. Chan J, Raju S, Nandakumar R, Bly R, Gollakota S. (2019). Detecting middle ear fluid using smartphones. *Sci Transl Med* 11: eaav1102.
39. Tomasev N. et al. (2019). A clinically applicable approach to continuous prediction of future acute kidney injury. *Nature* 572: 116–119.
40. Bhinder B, Gilvary C, Madhukar NS, Elemento O. (2021). Artificial intelligence in cancer research and precision medicine. *Cancer Discov* 11(4):900- 915.
41. Ting DSW et al. (2017). Development and validation of a deep learning system for diabetic retinopathy and related eye diseases using retinal images from multiethnic populations with diabetes. *JAMA* 318(22):2211-2223.

42. Yan Li, Xiaoyan Cui, Xiaoyan Yang, Guangqia Liu, Juan Zhang (2024). Artificial intelligence in predicting pathogenic microorganisms' antimicrobial resistance: challenges, progress, and prospects. *Front Cell Infect Microbiol* 14:1482186
43. Hosny A, Parmar C, Quackenbush J, Schwartz LH, Aerts HJWL. (2018). Artificial intelligence in radiology. *Nat Rev Cancer* 18(8):500-510.
44. Ting DSW et al. (2019). Artificial intelligence and deep learning in ophthalmology. *Br J Ophthalmol* 103(2):167-175.
45. Johnson KW, Torres Soto J, Glicksberg BS, Shameer K, Miotto R, Ali M. (2018). Artificial intelligence in cardiology. *J Am Coll Cardiol* 71(23):2668-2679.
46. Olczak J, Fahlberg N, Maki A, Razavian AS, Jilert A, Stark A. (2017). Artificial intelligence for analyzing orthopedic trauma radiographs. *Acta Orthop* 88(6):581-586.
47. Niazi MKK, Parwani AV, Gurcan MN. (2019). Digital pathology and artificial intelligence. *Lancet Oncol* 20(5):e253-261.
48. Abbasgholizadeh RS, Legare F, Sharma G, Archambault P, Zomahoun HTV, Chandavong S. (2021). Application of artificial intelligence in community based primary health care: Systematic scoping review and critical appraisal. *J Med Internet Res* 23(9):e29839.
49. Antonucci LA, Raio A, Pergola G, Gelao B, Papalino M, Rampino A. (2021). Machine learning-based ability to classify psychosis and early stages of disease through parenting and attachment-related variables is associated with social cognition. *BMC Psychol* 9(1):47.
50. Adeniyi AO, Arowoogun JO, Chidi R, Okolo CA (2024). The impact of electronic health records on patient care and outcomes: A comprehensive review. *World Journal of Advanced Research and Reviews* 21(2):1446-1455.
51. Shatte A, Hutchinson DM, Teague SJ. (2019). Machine learning in mental health: a scoping review of methods and applications. *Psychol Med* 49(9):1426-1448.
52. Sachan D. (2018). Self-help robots drive blues away. *Lancet Psychiatry* 5(7):547.
53. Fitzpatrick KK, Darcy A, Vierhile M. (2017). Delivering cognitive behavior therapy to young adults with symptoms of depression and anxiety using a fully automated conversational agent (Woebot): a randomized controlled trial. *JMIR Ment Health* 4(2): e19.
54. Bain EE, Shafner L, Walling DP, Othman AA, Chuang-Stein C, Hinkle J. (2017). Use of a novel artificial intelligence platform on mobile devices to assess dosing compliance in a phase 2 clinical trial in subjects with schizophrenia. *JMIR Mhealth Uhealth* 5(2):22.
55. Du Sert OP, Potvin S, Lipp O, Dellazizzo L, Laurelli M, Breton R. (2018). Virtual reality therapy for refractory auditory verbal hallucinations in schizophrenia: A pilot clinical trial. *Schizophr Res* 197:176-181.
56. Pennisi P, Tonacci A, Tartarisco G, Billeci L, Ruta L, Gangemi S. (2016). Autism and social robotics: A systematic review. *Off J Int Soc Autism Res* 9(2):165-183.
57. Wada K, Shibata T. (2007). Living with seal robots-its socio-psychological and physiological influences on the elderly at a care house. *IEEE Trans Robot* 23(5):972-980.
58. Tielman ML, Neerinx MA, Van Meggelen M, Franken I, Brinkman WP. (2017). How should a virtual agent present psychoeducation? Influence of verbal and textual presentation on adherence. *Technol. Health Care Off J Eur Soc Eng Med* 25(6):1081-1096.

59. Ding L, Bailey MH, Porta-Pardo E, Thorsson V, Colaprico A, Bertrand D. (2018). Perspective on oncogenic processes at the end of the beginning of cancer genomics. *Cell* 173:305-320.
60. Coudray N, Ocampo PS, Sakellaropoulos T, Narula N, Snuderl M, Fenyo D. (2018). Classification and mutation prediction from non-small cell lung cancer histopathology images using deep learning. *Nat Med* 24:1559-1567.
61. Esteva A, Kuprel B, Novoa RA, Ko J, Swetter SM, Blau HM. (2017). Dermatologist-level classification of skin cancer with deep neural networks. *Nature* 542:115-118.
62. Jiang Y, Liang X, Wang W, Chen C, Yuan Q, Zhang X. (2021). Noninvasive prediction of occult peritoneal metastasis in gastric cancer using deep learning. *JAMA Netw Open* 4: e2032269.
63. Jamart K, Xiong Z, Maso Talou GD, Stiles MK, Zhao J. (2020). Mini review: deep learning for atrial segmentation from late gadolinium-enhanced MRIs. *Front Cardiovasc Med.* 7:86.
64. Afifi A, Toshiya N. (2015). Unsupervised detection of liver lesions in CT images. 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC) 2015: 2411-2414.
65. Bai W, Sinclair M, Tarroni G, Oktay O, Rajchl M, Vaillant G. (2018). Automated cardiovascular magnetic resonance image analysis with fully convolutional networks. *J Cardiovasc Magn Reson* 20:65-71.
66. Hannun AY, Rajpurkar P, Haghpanahi M, Tison GH, Bourn C, Turakhia MP. (2019). Cardiologist-level arrhythmia detection and classification in ambulatory electrocardiograms using a deep neural network. *Nat Med* 25:65-69
67. Shade JK, Ali RL, Basile D, Popescu D, Akhtar T, Marine J. (2020). Preprocedure application of machine learning and mechanistic simulations predicts likelihood of paroxysmal atrial fibrillation recurrence following pulmonary vein isolation. *Circ Arrhythm Electrophysiol* 13:e008213.
68. Ghazaleh Aali, Timothy Kariotis, Shokraneh F (2020). Avatar Therapy for people with schizophrenia or related disorders. *Cochrane Database Syst Rev* 2020(5):CD011898.
69. Chang M, Canseco JA, Nicholson KJ, Patel N, Vaccaro AR. (2020). The role of machine learning in spine surgery: The future is now. *Front Surg* 7:54.
70. Panesar S, Cagle Y, Chander D, Morey J, Miranda J, Kliot M. (2019). Artificial intelligence and the future of surgical robotics. *Ann Surg* 270:223-226.
71. Rasouli JJ, Shao J, Neifert S, Gibbs WN, Habboub G, Steinmetz MP. (2021). Artificial intelligence and robotics in spine surgery. *Glob Spine J* 11:556-564.
72. Panesar SS, Ashkan K. (2018). Surgery in space. *Br J Surg* 5:1234-1243.
73. Klang E, Barash Y, Margalit RY, Soffer S, Shimon O, Albshesh A. (2020). Deep learning algorithms for automated detection of Crohn's disease ulcers by video capsule endoscopy. *Gastrointest Endosc* 91:606-13.e2
74. Barash Y, Azaria L, Soffer S, Margalit Yehuda R, Shlomi O, Ben-Horin S. (2021). Ulcer severity grading in video capsule images of patients with Crohn's disease: An ordinal neural network solution. *Gastrointest Endosc* 93:187-92.

75. Stidham RW, Liu W, Bishu S, Michael DR, Peter DRH, Ji Z. (2019). Performance of a deep learning model vs human reviewers in grading endoscopic disease severity of patients with ulcerative colitis. *JAMA Netw Open* 2(5):e193963.
76. Syed S, Lubaina E, Aman S, Saurav S, Marium K, Kamran K. (2021). Artificial intelligence-based analytics for diagnosis of small bowel enteropathies and black box feature detection. *J Pediatr Gastroenterol Nutr* 72(6):833-841.
77. Lamash Y, Kurugol S, Freiman M, Jeannette MP-R, Michael JC, Athos B. (2019). Curved planar reformatting and convolutional neural network-based segmentation of the small bowel for visualization and quantitative assessment of pediatric Crohn's disease from MRI. *J Magn Reson Imaging* 49:1565-1576.
78. Giger ML. (2018). Machine learning in medical imaging. *J Am Coll Radiol* 15:512-520.
79. Krittanawong C. (2018). The rise of artificial intelligence and the uncertain future for physicians. *Eur J Intern Med* 48:e13-e14
80. Nachev P, Herron D, McNally N, Rees G, Williams B. (2019). Redefining the research hospital. *NPJ Digit Med* 2:119.
81. Quinn TP, Senadeera M, Jacobs S, Coghlan S, Le V. (2021). Trust and medical AI: the challenges we face and the expertise needed to overcome them. *J Am Med Inform Assoc* 28: 890–894.
82. Wang C. et al. (2019). Quantitating the epigenetic transformation contributing to cholesterol homeostasis using Gaussian process. *Nat Commun* 10: 5052.
83. Amodio M. et al. (2019). Exploring single-cell data with deep multitasking neural networks. *Nat Methods* 16: 1139–1145.
84. Urteaga I, McKillop M, Elhadad N. (2020). Learning endometriosis phenotypes from patient-generated data. *NPJ Digit Med* 3: 88.
85. Courtiol P. et al. (2019). Deep learning-based classification of mesothelioma improves prediction of patient outcome. *Nat Med* 25: 1519–1525.